

FORM PTO-1390 (Modified)  
(REV 10-95)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

**TRANSMITTAL LETTER TO THE UNITED STATES  
DESIGNATED/ELECTED OFFICE (DO/EO/US)  
CONCERNING A FILING UNDER 35 U.S.C. 371**

87647.98R199

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR

**09/117586**

INTERNATIONAL APPLICATION NO.

**PCT/US97/01870**

INTERNATIONAL FILING DATE

**31 January 1997 (31.01.97)**

PRIORITY DATE CLAIMED

**31 January 1996 (31.01.96)**

TITLE OF INVENTION

**FOOD AND VITAMIN PREPARATIONS CONTAINING THE NATURAL ISOMER OF REDUCED FOLATES**

APPLICANT(S) FOR DO/EO/US

**Steven W. Bailey and June E. Ayling**

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).
4. ☒ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
  - a. ☐ is transmitted herewith (required only if not transmitted by the International Bureau).
  - b. ☐ has been transmitted by the International Bureau.
  - c. ☒ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☐ A translation of the International Application into English (35 U.S.C. 371(c)(2)).
7. ☒ A copy of the International Search Report (PCT/ISA/210).
8. ☐ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
  - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
  - b. ☐ have been transmitted by the International Bureau.
  - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
  - d. ☐ have not been made and will not be made.
9. ☐ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
10. ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
11. ☒ A copy of the International Preliminary Examination Report (PCT/IPEA/409).
12. ☐ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).

**Items 13 to 18 below concern document(s) or information included:**

13. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
14. ☒ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
15. ☒ A **FIRST** preliminary amendment.  
A **SECOND** or **SUBSEQUENT** preliminary amendment.
16. ☐ A substitute specification.
17. ☐ A change of power of attorney and/or address letter.
18. ☒ Certificate of Mailing by Express Mail
19. ☒ Other items or information:

**One (1) Verified Statement Claiming Small Entity Status**

20. The following fees are submitted: <b>BASIC NATIONAL FEE ( 37 CFR 1.492 (a) (1) - (5) ) :</b>				<b>CALCULATIONS PTO USE ONLY</b>	
<input type="checkbox"/> Search Report has been prepared by the EPO or JPO ..... <b>\$930.00</b> <input checked="" type="checkbox"/> International preliminary examination fee paid to USPTO (37 CFR 1.482) ..... <b>\$720.00</b> <input type="checkbox"/> No international preliminary examination fee paid to USPTO (37 CFR 1.482) but international search fee paid to USPTO (37 CFR 1.445(a)(2)) ..... <b>\$790.00</b> <input type="checkbox"/> Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2) paid to USPTO ..... <b>\$1,070.00</b> <input type="checkbox"/> International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(2)-(4) ..... <b>\$98.00</b>					
<b>ENTER APPROPRIATE BASIC FEE AMOUNT =</b>					
Surcharge of <b>\$130.00</b> for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492 (e)).					
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total claims	78 - 20 =	58	x \$22.00	<b>\$1,276.00</b>	
Independent claims	15 - 3 =	12	x \$82.00	<b>\$984.00</b>	
Multiple Dependent Claims (check if applicable). <input checked="" type="checkbox"/>				<b>\$270.00</b>	
<b>TOTAL OF ABOVE CALCULATIONS =</b>				<b>\$3,250.00</b>	
Reduction of 1/2 for filing by small entity, if applicable. Verified Small Entity Statement must also be filed (Note 37 CFR 1.9, 1.27, 1.28) (check if applicable). <input checked="" type="checkbox"/>				<b>\$1,625.00</b>	
<b>SUBTOTAL =</b>				<b>\$1,625.00</b>	
Processing fee of <b>\$130.00</b> for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492 (f)).				<b>\$0.00</b>	
<b>TOTAL NATIONAL FEE =</b>				<b>\$1,625.00</b>	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable). <input checked="" type="checkbox"/>				<b>\$40.00</b>	
<b>TOTAL FEES ENCLOSED =</b>				<b>\$1,665.00</b>	
				<b>Amount to be:</b>	
				<b>refunded</b>	\$
				<b>charged</b>	\$

- ☐ A check in the amount of \_\_\_\_\_ to cover the above fees is enclosed.
- ☒ Please charge my Deposit Account No. **10-0223** in the amount of **\$1,665.00** to cover the above fees.  
A duplicate copy of this sheet is enclosed.
- ☒ The Commissioner is hereby authorized to charge any fees which may be required, or credit any overpayment to Deposit Account No. **10-0223** A duplicate copy of this sheet is enclosed.

**NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.**

SEND ALL CORRESPONDENCE TO:

**Susan J. Braman**  
**Jaekle Fleischmann & Mugel, LLP**  
 39 State Street  
 Rochester, New York 14614-1310  
 Tel: (716) 262-3640  
 Fax: (716) 262-4133

Susan J. Braman  
 SIGNATURE

**Susan J. Braman**  
 NAME

**34,103**  
 REGISTRATION NUMBER

July 31, 1998  
 DATE

PATENT  
87647.98R199

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:	Bailey et al.	)	
		)	
Serial No.:	Not yet known	)	Examiner: Unknown
		)	
Filed:	Herewith	)	
		)	Art Unit: Unknown
For:	FOOD AND VITAMIN PREPARATIONS	)	
	CONTAINING THE NATURAL ISOMER	)	U.S. National
	OF REDUCED FOLATES	)	Stage of PCT/
		)	US97/01870
		)	
		)	

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents  
Washington, D.C. 20231  
Box: PCT

Dear Sir:

Please amend the subject application as follows:

In the Claims:

Please cancel claims 1-3, 5-20 and 24-44, without prejudice.

Please add new claims 45-82 as follows:

45. A composition for human consumption comprising:  
one or more natural isomers of reduced folate selected from the group consisting of (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl derivatives thereof; and

a nutritional substance for human consumption selected from the group consisting of a food preparation, an essential nutrient preparation, and combinations thereof;

wherein the total amount of said one or more natural isomers of reduced folate in said composition is between about 5% and about 200% of a human daily requirement for folate per customarily consumed quantity of said composition;

wherein, when the nutritional substance is a food preparation, the food preparation comprises two or more food components and each gram of said food preparation has a natural molar amount, N, of said one or more natural isomers of reduced folate, wherein N is greater or equal to zero and wherein each gram of said composition has a total molar amount, T, of said one or more natural isomers of reduced folate greater than N; and

wherein, when the nutritional substance is an essential nutrient preparation, the essential nutrient preparation comprises a vitamin other than ascorbic acid.

46. A composition for human consumption comprising:  
one or more natural isomers of reduced folate selected from the group consisting of (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl derivatives thereof; and

a nutritional substance for human consumption being a food preparation;

wherein the food preparation comprises two or more food components and each gram of said food preparation has a natural molar amount, N, of said one or more natural isomers of reduced folate, wherein N is greater or equal to zero and wherein each gram of said composition has a total molar amount, T, of said one or more natural isomers of reduced folate greater than N; and

wherein each gram of said composition further comprises no unnatural isomers of reduced folate selected from the group consisting of (6R)-tetrahydrofolic acid, 5-methyl-(6R)-tetrahydrofolic acid, 5-formyl-(6R)-tetrahydrofolic acid, 10-formyl-(6S)-tetrahydrofolic acid, 5,10-methylene-(6S)-tetrahydrofolic acid, 5,10-methenyl-(6S)-tetrahydrofolic acid, 5-formimino-(6R)-tetrahydrofolic acid, and polyglutamyl

derivatives thereof, or, if present, one or more of said unnatural isomers of reduced folate in a molar amount less than T minus N.

47. A composition according to claim 46, wherein the food preparation is selected from the group consisting of breakfast foods, infant formulas, dietary supplements, complete diet formulas, and weight-loss preparations.

48. A composition according to claim 47, wherein the breakfast food is a prepared cereal, a breakfast drink mix, or a toaster pastry, and wherein the weight-loss preparations is a weight-loss drink or a weight-loss bar.

49. A composition for human consumption comprising:  
one or more natural isomers of reduced folate selected from the group consisting of (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl derivatives thereof; and

a nutritional substance for human consumption being an essential nutrient preparation, the essential nutrient preparation comprising a vitamin other than ascorbic acid, wherein the vitamin is present in an amount equal to or greater than 25% of the daily requirement for the vitamin per customarily consumed quantity of said essential nutrient preparation.

50. A composition for human consumption comprising:  
one or more natural isomers of reduced folate selected from the group consisting of (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl derivatives thereof; and

a nutritional substance for human consumption selected from the group consisting of a food preparation, an essential nutrient preparation, and combinations thereof;

wherein the total amount of said one or more natural isomers of reduced folate in said composition is less than or equal to about 4.5 micromoles per customarily consumed quantity of said composition;

wherein, when the nutritional substance is a food preparation, the food preparation comprises two or more food components and each gram of said food preparation has a natural molar amount, N, of said one or more natural isomers of reduced folate, wherein N is greater or equal to zero and wherein each gram of said composition has a total molar amount, T, of said one or more natural isomers of reduced folate greater than N; and

wherein, when the nutritional substance is an essential nutrient preparation, the essential nutrient preparation comprises a vitamin other than ascorbic acid.

51. A composition according to claim 45, 49 or 50, wherein the essential nutrient preparation further comprises ascorbic acid.

52. A composition according to claim 45, 46, 49 or 50, wherein the one or more natural isomers of reduced folate is selected from the group consisting of 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, and polyglutamyl derivatives thereof.

53. A composition according to claim 45, 46, 49 or 50, wherein each of the one or more natural isomers of reduced folate is substantially chirally pure.

54. A method for increasing the folate content of a nutritional substance for human consumption comprising:

providing a nutritional substance for human consumption selected from the group consisting of a food preparation, an essential nutrient preparation, and combinations thereof; and

incorporating into the nutritional substance an amount of one or more natural isomers of reduced folate selected from the group consisting of (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl derivatives thereof, thereby forming a composition;

wherein the total amount of said one or more natural isomers of reduced folate incorporated into said nutritional substance is between about 5% and about 200% of a human daily requirement for folate per customarily consumed quantity of said nutritional substance;

wherein, when the nutritional substance is a food preparation, the food preparation comprises two or more food components and each gram of said food preparation has a natural molar amount, N, of said one or more natural isomers of reduced folate, wherein N is greater or equal to zero and wherein each gram of said composition has a total molar amount, T, of said one or more natural isomers of reduced folate greater than N; and

wherein, when the nutritional substance is an essential nutrient preparation, the essential nutrient preparation comprises a vitamin other than ascorbic acid.

55. A method for increasing the folate content of a nutritional substance for human consumption comprising:

providing a nutritional substance for human consumption being a food preparation; and

incorporating into the nutritional substance an amount of one or more natural isomers of reduced folate selected from the group consisting of (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid,

5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl derivatives thereof, thereby forming a composition;

wherein the food preparation comprises two or more food components and each gram of said food preparation has a natural molar amount, N, of said one or more natural isomers of reduced folate, wherein N is greater or equal to zero and wherein each gram of said composition has a total molar amount, T, of said one or more natural isomers of reduced folate greater than N, and wherein each gram of said composition further comprises no unnatural isomers of reduced folate selected from the group consisting of (6R)-tetrahydrofolic acid, 5-methyl-(6R)-tetrahydrofolic acid, 5-formyl-(6R)-tetrahydrofolic acid, 10-formyl-(6S)-tetrahydrofolic acid, 5,10-methylene-(6S)-tetrahydrofolic acid, 5,10-methenyl-(6S)-tetrahydrofolic acid, 5-formimino-(6R)-tetrahydrofolic acid, and polyglutamyl derivatives thereof, or, if present, one or more of said unnatural isomers of reduced folate in a molar amount less than T minus N.

56. A method for increasing the folate content of a nutritional substance for human consumption comprising:

providing a nutritional substance for human consumption being an essential nutrient preparation, the essential nutrient preparation comprising a vitamin other than ascorbic acid, wherein the vitamin is present in an amount equal to or greater than 25% of the daily requirement for the vitamin per customarily consumed quantity of said essential nutrient preparation; and

incorporating into the nutritional substance an amount of one or more natural isomers of reduced folate selected from the group consisting of (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl derivatives thereof.



57. A method for increasing the folate content of a nutritional substance for human consumption comprising:

providing a nutritional substance for human consumption selected from the group consisting of a food preparation, an essential nutrient preparation, and combinations thereof; and

incorporating into the nutritional substance an amount of one or more natural isomers of reduced folate selected from the group consisting of (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl derivatives thereof, thereby forming a composition;

wherein the total amount of said one or more natural isomers of reduced folate in said composition is less than or equal to about 4.5 micromoles per customarily consumed quantity of said composition;

wherein, when the nutritional substance is a food preparation, the food preparation comprises two or more food components and each gram of said food preparation has a natural molar amount, N, of said one or more natural isomers of reduced folate, wherein N is greater or equal to zero and wherein each gram of said composition has a total molar amount, T, of said one or more natural isomers of reduced folate greater than N; and

wherein, when the nutritional substance is an essential nutrient preparation, the essential nutrient preparation comprises a vitamin other than ascorbic acid.

58. A method according to claim 54, 56 or 57 further comprising:

incorporating into the nutritional substance an amount of one or more unnatural isomers of reduced folate selected from the group consisting of (6R)-tetrahydrofolic acid, 5-methyl-(6R)-tetrahydrofolic acid, 5-formyl-(6R)-tetrahydrofolic acid, 10-formyl-(6S)-tetrahydrofolic acid, 5,10-methylene-(6S)-

tetrahydrofolic acid, 5,10-methenyl-(6S)-tetrahydrofolic acid, 5-formimino-(6R)-tetrahydrofolic acid, and polyglutamyl derivatives thereof, wherein the amount of the one or more unnatural isomers of reduced folate is less than or equal to the amount of the one or more natural isomers of reduced folate.

59. A method for increasing a human subject's dietary intake of folate comprising:

administering a composition according to claim 45, 46, 49 or 50 to the human subject.

60. A method according to claim 59, wherein said administering is carried out by enteral administration.

61. A method according to claim 59, wherein the human is selected from the group consisting of a pregnant female; a female who has had a miscarriage; a female who has carried a fetus having a neural tube defect, a cleft lip defect, or a cleft palate defect; and a human who suffers vascular disease.

62. A method for treating a human subject afflicted with intestinal malabsorption comprising:

administering to the human subject an amount of a composition effective to increase the human subject's blood folate level to a normal blood folate level, the composition comprising:

one or more natural isomers of reduced folate selected from the group consisting of (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl derivatives thereof; and

a nutritional substance for human consumption selected from the group consisting of a food preparation, an essential nutrient preparation, and combinations thereof;

wherein, when the nutritional substance is a food preparation, the food preparation comprises two or more food

components and each gram of said food preparation has a natural molar amount, N, of said one or more natural isomers of reduced folate, wherein N is greater or equal to zero and wherein each gram of said composition has a total molar amount, T, of said one or more natural isomers of reduced folate greater than N; and

wherein, when the nutritional substance is an essential nutrient preparation, the essential nutrient preparation comprises a vitamin other than ascorbic acid.

63. A method according to claim 54, 56, 57 or 62 wherein the essential nutrient preparation further comprises ascorbic acid.

64. A method according to claim 54, 55, 56, 57 or 62, wherein each of the one or more natural isomers of reduced folate is substantially chirally pure.

65. A method according to claim 54, 55, 56, 57 or 62, wherein the one or more natural isomers of reduced folate is selected from the group consisting of 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, and polyglutamyl derivatives thereof.

66. A method according to claim 55, 57 or 62 wherein said method further comprises:

incorporating a vitamin into the food preparation.

67. A composition for consumption by an animal, the animal selected from the group consisting of dog, cat, poultry, cattle, goat, horse, mink, fox, and sheep, the composition comprising:

one or more natural isomers of reduced folate selected from the group consisting of (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl derivatives thereof; and

a nutritional substance for consumption by the animal selected from the group consisting of a food preparation, an essential nutrient preparation, and combinations thereof;

wherein the total amount of said one or more natural isomers of reduced folate in said composition is between about 5% and about 3000% of an animal daily requirement for folate per customarily consumed quantity of said composition;

wherein, when the nutritional substance is a food preparation, the food preparation comprises two or more food components and each gram of said food preparation has a natural molar amount, N, of said one or more natural isomers of reduced folate, wherein N is greater or equal to zero and wherein each gram of said composition has a total molar amount, T, of said one or more natural isomers of reduced folate greater than N; and

wherein, when the nutritional substance is an essential nutrient preparation, the essential nutrient preparation comprises a vitamin other than ascorbic acid.

68. A composition for consumption by an animal, the animal selected from the group consisting of dog, cat, poultry, cattle, goat, horse, mink, fox, and sheep, the composition comprising:

one or more natural isomers of reduced folate selected from the group consisting of (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl derivatives thereof; and

a nutritional substance for consumption by the animal being a food preparation;

wherein the food preparation comprises two or more food components and each gram of said food preparation has a natural molar amount, N, of said one or more natural isomers of reduced folate, wherein N is greater or equal to zero and

wherein each gram of said composition has a total molar amount, T, of said one or more natural isomers of reduced folate greater than N; and

wherein each gram of said composition further comprises no unnatural isomers of reduced folate selected from the group consisting of (6R)-tetrahydrofolic acid, 5-methyl-(6R)-tetrahydrofolic acid, 5-formyl-(6R)-tetrahydrofolic acid, 10-formyl-(6S)-tetrahydrofolic acid, 5,10-methylene-(6S)-tetrahydrofolic acid, 5,10-methenyl-(6S)-tetrahydrofolic acid, 5-formimino-(6R)-tetrahydrofolic acid, and polyglutamyl derivatives thereof, or, if present, one or more of said unnatural isomers of reduced folate in a molar amount less than T minus N.

69. A composition for consumption by an animal, the animal selected from the group consisting of dog, cat, poultry, cattle, goat, horse, mink, fox, and sheep, the composition comprising:

one or more natural isomers of reduced folate selected from the group consisting of (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl derivatives thereof; and

a nutritional substance for consumption by the animal being an essential nutrient preparation, the essential nutrient preparation comprising a vitamin other than ascorbic acid, wherein the vitamin is present in an amount equal to or greater than 25% of the daily requirement for the vitamin per customarily consumed quantity of said essential nutrient preparation.

70. A composition according to claim 67 or 69, wherein the essential nutrient preparation further comprises ascorbic acid.

71. A composition according to claim 67, 68 or 69, wherein the one or more natural isomers of reduced folate is selected from the group consisting of 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, and polyglutamyl derivatives thereof.

72. A composition according to claim 67, 68 or 69, wherein each of the one or more natural isomers of reduced folate is substantially chirally pure.

73. A method for increasing the folate content of a nutritional substance for consumption by an animal, the animal selected from the group consisting of dog, cat, poultry, cattle, goat, horse, mink, fox, and sheep, the method comprising:

providing a nutritional substance for consumption by the animal selected from the group consisting of a food preparation, an essential nutrient preparation, and combinations thereof; and

incorporating into the nutritional substance an amount of one or more natural isomers of reduced folate selected from the group consisting of (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl derivatives thereof, thereby forming a composition;

wherein the total amount of said one or more natural isomers of reduced folate incorporated into said nutritional substance is between about 5% and about 3000% of an animal daily requirement for folate per customarily consumed quantity of said nutritional substance;

wherein, when the nutritional substance is a food preparation, the food preparation comprises two or more food components and each gram of said food preparation has a natural molar amount, N, of said one or more natural isomers

of reduced folate, wherein N is greater or equal to zero and wherein each gram of said composition has a total molar amount, T, of said one or more natural isomers of reduced folate greater than N; and

wherein, when the nutritional substance is an essential nutrient preparation, the essential nutrient preparation comprises a vitamin other than ascorbic acid.

74. A method for increasing the folate content of a nutritional substance for consumption by an animal, the animal selected from the group consisting of dog, cat, poultry, cattle, goat, horse, mink, fox, and sheep, the method comprising:

providing a nutritional substance for consumption by the animal being a food preparation; and

incorporating into the nutritional substance an amount of one or more natural isomers of reduced folate selected from the group consisting of (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl derivatives thereof, thereby forming a composition;

wherein the food preparation comprises two or more food components and each gram of said food preparation has a natural molar amount, N, of said one or more natural isomers of reduced folate, wherein N is greater or equal to zero and wherein each gram of said composition has a total molar amount, T, of said one or more natural isomers of reduced folate greater than N; and

wherein each gram of said composition further comprises no unnatural isomers of reduced folate selected from the group consisting of (6R)-tetrahydrofolic acid, 5-methyl-(6R)-tetrahydrofolic acid, 5-formyl-(6R)-tetrahydrofolic acid, 10-formyl-(6S)-tetrahydrofolic acid, 5,10-methylene-(6S)-tetrahydrofolic acid, 5,10-methenyl-(6S)-tetrahydrofolic acid,

5-formimino-(6R)-tetrahydrofolic acid, and polyglutamyl derivatives thereof, or, if present, one or more of said unnatural isomers of reduced folate in a molar amount less than T minus N.

75. A method for increasing the folate content of a nutritional substance for consumption by an animal, the animal selected from the group consisting of dog, cat, poultry, cattle, goat, horse, mink, fox, and sheep, the method comprising:

providing a nutritional substance for consumption by the animal being an essential nutrient preparation, the essential nutrient preparation comprising a vitamin other than ascorbic acid, wherein the vitamin is present in an amount equal to or greater than 25% of the daily requirement for the vitamin per customarily consumed quantity of said essential nutrient preparation; and

incorporating into the nutritional substance an amount of one or more natural isomers of reduced folate selected from the group consisting of (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl derivatives thereof.

76. A method according to claim 73 or 75 further comprising:

incorporating into the nutritional substance an amount of one or more unnatural isomers of reduced folate selected from the group consisting of (6R)-tetrahydrofolic acid, 5-methyl-(6R)-tetrahydrofolic acid, 5-formyl-(6R)-tetrahydrofolic acid, 10-formyl-(6S)-tetrahydrofolic acid, 5,10-methylene-(6S)-tetrahydrofolic acid, 5,10-methenyl-(6S)-tetrahydrofolic acid, 5-formimino-(6R)-tetrahydrofolic acid, and polyglutamyl derivatives thereof, wherein the amount of the one or more unnatural isomers of reduced folate is less than or equal to



the amount of the one or more natural isomers of reduced folate.

77. A method according to claim 73 or 75 wherein the essential nutrient preparation further comprises ascorbic acid.

78. A method according to claim 73, 74 or 75, wherein each of the one or more natural isomers of reduced folate is substantially chirally pure.

79. A method according to claim 73, 74 or 75, wherein the one or more natural isomers of reduced folate is selected from the group consisting of 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, and polyglutamyl derivatives thereof.

80. A method according to claim 73 or 74, wherein the method further comprises:

incorporating a vitamin into the food preparation.

81. A method for increasing an animal subject's dietary intake of folate, the animal selected from the group consisting of dog, cat, poultry, cattle, goat, horse, mink, fox, and sheep, the method comprising:

administering a composition according to claim 67, 68 or 69 to the animal subject.

82. A method according to claim 81, wherein said administering is carried out by enteral administration.

#### REMARKS

The subject application is the U.S. national stage of PCT International Application No. PCT/US97/01870. In the PCT application, the application as originally filed included claims 1-26. In the Response to Written Opinion, claims 4 and 21-23 were canceled, claims 1, 12, 19 and 24-26 were amended, and claims 27-44 were added. The International Preliminary Examination Report was therefore directed to claims 1-3, 5-20 and 24-44. Claims 3, 6-8, 11, 24, 29, 31 (indicated as 30 by

the Examiner, but appears to be 31), 34 and 44 were indicated as meeting the criteria set out in PCT Article 33(2)-(4).

By this preliminary amendment, claims 1-3, 5-20 and 24-44 have been canceled, and replaced with new claims 45-82. New claims 45, 46 and 49 incorporate the limitations of canceled claims 3, 6 and 11 (which were indicated as free of the prior art). New claims 47, 48, 51-56, 58-61 and 63-66 are composition and method claims of similar scope to new claims 45, 46 and 49. New claims 67, 68 and 69 incorporate the limitations of canceled claims 29, 31 and 34 (which were indicated as free of the prior art). New claims 70-82 are composition and method claims of similar scope to new claims 67, 68 and 69.

It is believed that these amendments have addressed the issues raised in the International Preliminary Examination Report, and that all claims now pending (claims 45-82) define patentable subject matter.

Respectfully submitted,

Dated: July 31, 1998

Susan J. Braman  
Susan J. Braman  
Registration No. 34,103

Jaeckle Fleischmann & Mugel, LLP  
39 State Street  
Rochester, New York 14614-1310  
Phone: (716) 262-3640  
Facsimile: (716) 262-4133

## Food and Vitamin Preparations Containing the Natural Isomer of Reduced Folates

This application claims the benefit of U.S. Provisional Patent Application Serial No. 60/010,898, filed January 31, 1996.

### Field of the Invention

The present invention relates generally to the field of nutrition, and more specifically to food and vitamin preparations containing the natural isomer of reduced folates.

### 5 Background of the Invention

The folates are ubiquitous to nearly all forms of life. Humans and many other animals lack the capacity to make their own folate which thus is an essential vitamin, one type of essential nutrient. Anemia especially during pregnancy and in the geriatric population was an early indication of a dietary requirement for folate.

- 10 A major function of folate is to remove one-carbon units from molecules being metabolized and then deliver them to molecules being synthesized. As an example, folate participates in the formation of the nucleic acids. Further, the activity of DNA is controlled, in part, by methylation, and the primary methylating agent of the body (S-adenosylmethionine) is made in a metabolic cycle involving a folate.
- 15 Many studies have, therefore, focused on the relationship of folate status to cancer susceptibility, especially colorectal adenoma.

- The importance of folate to proper growth is clearly evident in the occurrence of neural tube defects in newborn infants. Reports from several countries have shown that a majority of such cases are associated with low folate
- 20 levels in the mother. The incidence of these defects as well as of cleft lip/palate is considerably reduced when women are given folic acid (I) starting early in pregnancy. Recently, a significant correlation has been discovered between vitamin deficiency, especially of folate, and peripheral vascular disease, a major cause of death. A high percentage of individuals with this affliction have abnormal blood
- 25 levels of homocysteine, a precursor to methionine in the folate dependent step of the S-adenosylmethionine cycle. Folate deficiency has also been linked to defective

maturation of a number of different cell types, to nervous system disorders, and to decreased immune response.


The clear relation of folate intake to health has caused many governmental agencies around the world (such as the U.S. National Research Council) to specify a recommended dietary allowance ("RDA") for folate. In the U.S. these values are used by the Food and Drug Administration to establish the Reference Daily Intake ("RDI") that is listed on food labels, currently 0.4 mg for adults. The highest daily amount of folic acid recommended by a country is 2.0 mg for healthy adults. Many products are available that contain RDI or near RDI levels of folic acid (I) including most daily multiple vitamins. These can be purchased in solid (eg. tablet, capsule, or powder) or in liquid formulations, both over-the-counter and by prescription. In the U.S. folic acid (I) is also available by itself typically at a dosage of 0.4 mg, but also up to 0.8 mg in health food stores. Many complete diets, infant diets, dietary supplements and weight loss products also contain folic acid (I). In some countries folic acid is added to specific food types as determined by health officials to provide adequate folate to the general population without risking excess consumption. Many breakfast foods, such as cereals, cereal bars, breakfast drink mixes, breakfast bars and toaster pastries have folic acid (I) added at a modest fraction of the RDI, typically 10-50% of the adult value per serving. In many of these uses the folic acid (I) is accompanied by other vitamins, sometimes at RDI dosages, but also at lower or much higher levels. Frequently, though not always, essential mineral nutrients are also present. Further, many products also include compounds hypothesized to have health related value, but which either have not been officially recognized as effective, or for which optimal amounts have not been set. Products such as those described above are meant to fill an important and wide spread need for folate, especially among those whose dietary habits would otherwise preclude intake of a sufficient amount of this vitamin.

Folic acid (I) is a component of many animal and pet foods. It is also included in powders or liquids used as animal feed supplements, often in combination with other nutrients. For example, the National Research Council (NRC) recommends diets containing 0.2 mg and 1.0 mg of folic acid (I) per kg of dry diet (assuming 5 kcal metabolizable energy per gram) for dogs and cats,

respectively. For chicks the NRC has recommended 0.55 mg folic acid per kg of diet, although recent literature suggests that the optimal value is about three times higher than this.

The form of folate currently added to all commercial vitamin preparations or which is added to foods, folic acid (I) (also known as pteroyl-L-glutamic acid), is not one of the major forms found in natural fresh foods. The structure of folic acid (I) differs from the most abundant natural folate in several aspects. First, the side-chain of natural folates in almost all fresh foods contains more than one L-glutamic acid moiety. Frequently, five to seven (but covering a considerable span of more or fewer) of this amino acid are linked together into a polyglutamate chain. It is well known, however, that the primary form by which folates are absorbed has only a single glutamate residue. Cleavage of the extra glutamates of dietary folates is usually accomplished by an enzyme in the digestive tract. In this aspect folic acid (I) is not at a disadvantage in comparison to naturally occurring folates.

The second difference between folic acid (I) and natural folates is that whereas the pteridine ring of the former (I) is fully oxidized, natural folates in fresh uncooked foods are mostly present as the tetrahydro forms. Almost all of the known physio-logical functions of folate are performed by tetrahydrofolic acid, (6S)-FH<sub>4</sub> (II), or by a one carbon derivative of it illustrated as follows: 5-methyl-(6S)-FH<sub>4</sub> (III), 5-formyl-(6S)-FH<sub>4</sub> (IV), 10-formyl-(6R)-FH<sub>4</sub> (V), 5,10-methylene-(6R)-FH<sub>4</sub> (VI), 5,10-methenyl-(6R)-FH<sub>4</sub> (VII), and 5-formimino-(6S)-FH<sub>4</sub> (VIII). The structural formula for each of these compounds is provided below.



There is no known direct cofactor function for folic acid (I) itself in humans.

Some (6S)-tetrahydrofolic acid polyglutamate is found in plants or animals, but the majority of folate is polyglutamate forms of either 5-methyl-, 5-formyl-(6S)-tetrahydrofolic acid, and in some cases 10-formyl-tetrahydrofolic acid. Presumably,

5 most of the folic acid (I) found in biological food sources results from oxidation, especially on storage. When folic acid (I) is absorbed by the digestive tract it is eventually reduced to active (6S)-tetrahydrofolic acid (II) by the enzyme dihydrofolate reductase.

The oral bioavailability of folic acid (I) has been shown to be widely  
10 variable. The literature contains reports of individuals having poor intestinal uptake of folic acid (I) who respond normally to intramuscular injection of folic acid (I), or had normal serum folate status prior to any folic acid challenge. Several small scale investigations in which the values have been averaged have concluded that the oral uptake of several of the reduced folates is similar to folic acid (I). However,  
15 there is reason to believe that a segment of the population possesses adequate oral response to reduced folates, but not to oral folic acid (I).

5-Formyl-tetrahydrofolic acid (also known as leucovorin or folinic acid) has long been used in therapeutic doses for several diseases. Examples include rescue from the toxicity of methotrexate chemotherapy, and the synergistic combination  
20 with fluorouracil for treatment of various cancers. It is also given to treat acute anemia not due to B<sub>12</sub> deficiency. 5-Methyl-tetrahydrofolic acid in high doses (for example, 50 mg/day) has been patented for treatment of depression (and other neurological disorders) (EP382019 and EP388827 to Le Grazie 1990, and EP482493 to Le Greca 1992).

25 That reduced folates have been overlooked as an improved source for providing the RDA level is in part due to the stereochemistry of these compounds. In addition to the single chiral center of the L-glutamate chain in folic acid (I), the tetrahydrofolates contain a second stereochemical center at carbon-6. Chemical reduction of folic acid (I) produces a nearly racemic mixture of the two isomers at  
30 this position. This is in contrast to the reduced folates found in nature which all consist of a single diastereoisomer, all having the same L-configuration at carbon-6. (Compounds II - VIII are shown as the natural isomer). For many years only the racemic 6(R,S) mixture of 5-formyl-tetrahydrofolic acid (leucovorin) has been used

for therapy of diseases. Recently, however, concern over the possible effects of the unnatural isomer component has resulted in the commercial introduction of the pure natural isomer for these high dose disease treatments by Lederle, although at very high cost. Most therapeutic regimes utilizing leucovorin last a few weeks or  
5 perhaps months. The effect of a long term exposure to the unnatural isomer of reduced folates is unknown. For example, although little 5-formyl-(6R)-tetrahydrofolic acid is absorbed, there is considerable uptake of the unnatural isomer of 5-methyl-tetrahydrofolic acid by the intestinal tract and other cells of the body which with continuous intake may lead to adverse consequences.

10       Until recently, processes for making the natural isomer of reduced folates have been limited in scale, or costly, or both. These include chromatographic separation, enzymatic reduction, and fractional crystallization. The use of reduced folates as a daily source of vitamin requires a method that is applicable to large scale production of the natural isomer having high purity at a cost that will not  
15 place a burden on the average consumer.

### Summary of the Invention

The present invention relates to a composition which includes one or more natural isomers of reduced folate and a nutritional substance. The one or more natural isomers of reduced folate is selected from the group consisting of (6S)-  
20 tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl derivatives thereof. The nutritional substance is a food preparation, an essential nutrient preparation, or a combination  
25 thereof. When the nutritional substance is a food preparation, the food preparation includes two or more food components. Each gram of the food preparation has a natural molar amount, N, of the one or more natural isomers of reduced folate, N being greater than or equal to zero, and each gram of the composition has a total molar amount, T, of the one or more natural isomers of reduced folate greater than  
30 N. When the nutritional substance is an essential nutrient preparation, the essential nutrient preparation includes a vitamin other than ascorbic acid.



The present invention also relates to method for increasing the folate content of a nutritional substance. The method includes providing a nutritional substance selected from the group consisting of a food preparation, an essential nutrient preparation, and combinations thereof. The method further includes incorporating  
5 into the nutritional substance a molar amount of one or more natural isomers of reduced folate selected from the group consisting of (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl  
10 derivatives thereof. When the nutritional substance is a food preparation, the food preparation comprises two or more food components. When the nutritional substance is an essential nutrient preparation, the essential nutrient preparation comprises a vitamin other than ascorbic acid.

A significant number of people are folate deficient; especially vulnerable  
15 are those whose life style does not include sufficient fresh food sources of folates. An object of this invention is nutritional compositions in which the natural isomer of tetrahydrofolic acid, or a derivative thereof, is substituted for the usual folic acid (I) for the satisfaction or partial satisfaction of the dietary requirement for this vitamin. While some may not be greatly affected by the inclusion of reduced  
20 folates in multivitamin preparations and breakfast foods, still a substantial number of people, and thus the average health of the population, will be improved by addressing the needs of those for whom folic acid (I) bioavailability is poor. Consumer confidence with regard to consumption of a food or other nutritional product will be increased with the knowledge that the folate content is chemically  
25 identical to the most abundant natural forms of this vitamin, except for the advantageous absence of multiple glutamate residues. A further advantage is that health agencies will be aided in recommending optimal levels when a more uniformly absorbed form of folate is widely used.

### Detailed Description of the Invention

The present invention relates to a composition which includes one or more natural isomers of reduced folate and a nutritional substance. Natural isomers of reduced folate suitable for use in the present invention include, for example, (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, and 5-formimino-(6S)-tetrahydrofolic acid. Other natural isomers of reduced folate suitable for use in the present invention include the polyglutamyl, such as the diglutamyl, triglutamyl, tetraglutamyl, pentaglutamyl, and hexaglutamyl, derivatives of (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, and 5-formimino-(6S)-tetrahydrofolic acid. Any or all of the natural isomers of reduced folate can be present in its chirally pure form, or, alternatively, the composition can optionally contain a molar amount of one or more unnatural isomers of reduced folate, such as (6R)-tetrahydrofolic acid, 5-methyl-(6R)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6S)-tetrahydrofolic acid, 5,10-methylene-(6S)-tetrahydrofolic acid, 5,10-methenyl-(6S)-tetrahydrofolic acid, 5-formimino-(6R)-tetrahydrofolic acid, and polyglutamyl derivatives thereof. The molar amount of the natural isomer of reduced folate can be equal to the molar amount of its corresponding unnatural isomer (as where the unnatural and natural isomer are present as a racemic mixture), or, preferably, the natural isomer of reduced folate can be present in a molar amount greater than the molar amount of the corresponding unnatural isomer. The total molar amount of the one or more natural isomers of reduced folate present in the composition can be between 5% and 200% of a human daily requirement for folate per a customarily consumed quantity of the composition. As used herein, the total molar amount of the one or more natural isomers of reduced folate includes natural isomers of reduced folates which are naturally present in the nutritional substance as well as natural isomers of reduced folates which might have been added to the nutritional substance. The customarily consumed quantity of various compositions depends, of course, on the nature of the composition.

Where the composition includes a food preparation, the customarily consumed quantity is the amount of the food preparation customarily consumed per eating occasion, for example, as set forth by the U.S. Food and Drug Administration for the purpose of establishing realistic and consistent serving sizes for use in food labeling. Examples of customarily consumed quantities for various food groups can be found in 21 C.F.R. § 101.12, which is hereby incorporated by reference.

The human daily requirement for folate varies from person to person, depending on factors such as body weight, age, health, sex, and the like. Suitable values for the human daily requirement for folate include RDI and RDA values, promulgated, respectively, by the FDA and the National Research Council ("NRC"). Presently, RDI values, expressed in terms of micrograms of folic acid (nanomoles of folic acid), are 400 µg (907 nmoles) for adults and 800 µg (1814 nmoles) for pregnant women. In view of this, the compositions of the present invention can have between 45 and 1814 nmoles or between 91 and 3625 nmoles of folate per customarily consumed quantity of the nutritional substance. Current RDA values are published in National Research Council: Recommended Daily Allowances, 10th ed., Washington, D.C. (1989), which is hereby incorporated by reference. They are, again expressed in terms of micrograms of folic acid (nanomoles of folic acid), 25 µg (57 nmoles) for infants 0-6 months of age, 35 µg (79 nmoles) for infants 6 months to one year of age, 50 µg (113 nmoles) for infants 1-3 years of age, 100µg (227 nmoles) for infants 7-10 years of age, 200 µg (454 nmoles) for male adults, 180 µg (408 nmoles) for female adults other than pregnant adult females, and 400 µg (907 nmoles) for pregnant females. In view of this, typical compositions of the present invention can have between 2.8 and 113 nmoles, between 4 and 159 nmoles, between 28 and 227 nmoles, between 11 and 454 nmoles, between 22 and 907nmoles, between 20 and 816 nmoles, or between 45 and 1812 nmoles of folate per customarily consumed quantity of the nutritional substance. Suitable values for the human daily requirement for folates are also established by the World Health Organization as 7.03 nmoles/kg of body weight. For pregnant women the value calculated based upon body weight should be increased by about 454 to about 680 nmoles.

The total molar amount of the one or more natural isomers of reduced folate present in the composition can, alternatively, be between 5% and 3000% of

an animal daily requirement for folate per a customarily consumed quantity of the nutritional substance. The animal, whose daily requirement for folate is referred to above, can be, for example, a dog, a cat, a chicken, a cattle, a domestic animal, a goat, a horse, a mink, a fox, a sheep, or a swine. Suitable values for the animal's daily requirement for folate are promulgated, for example, by the NRC in Nutrient Requirements of Domestic Animals (Washington:National Academy Press), particularly in those publications having the following subtitles: "Nutrient Requirements of Beef Cattle," Seventh Revised Edition (1996, ISBN 0-309-05426-5); "Nutrient Requirements of Cats," Revised Edition (1986, ISBN 0-309-03682-8); "Nutrient Requirements of Dairy Cattle," Sixth Revised Edition, Update (1989, ISBN 0-309-03826-X); "Nutrient Requirements of Dogs, Revised (1985, ISBN 0-309-03496-5); "Nutrient Requirements of Fish," (ISBN 0-309-04891-5); "Nutrient Requirements of Goats: Angora, Dairy, and Meat Goats in Temperate and Tropical Countries,"(ISBN 0-309-03185-0); "Nutrient Requirements of Horses," Fifth Revised Edition, (1989, ISBN 0-309-03989-4); "Nutrient Requirements of Laboratory Animals," Fourth Revised Edition (1995, ISBN 0-309-05126-6); "Nutrient Requirements of Mink and Foxes," Second Revised Edition, (1982, ISBN 0-309-03325-X); "Nutrient Requirements of Poultry," Ninth Revised Edition, (1994, ISBN 0-309-04892-3); "Nutrient Requirements of Sheep," Sixth Revised Edition, (1985, ISBN 0-309-03596-1); and "Nutrient Requirements of Swine," Ninth Revised Edition, (1988, ISBN 0-309-03779-4) (collectively referred to as "NRC Animal Nutrient Requirements"), which are hereby incorporated by reference.

As indicated above the nutritional substance can be a food preparation or an essential nutrient preparation. Essential nutrient preparations are materials which contain one or more essential nutrients. Where only one essential nutrient is present in the essential nutrient preparation, that essential nutrient can be a vitamin other than ascorbic acid. The essential nutrient preparation can, alternatively, include a vitamin other than ascorbic acid and, in addition, ascorbic acid. As used herein, essential nutrients are those nutrients which are required to sustain health but which cannot be effectively produced by one or more animals or by humans. Examples of essential nutrients are compiled in a number of published sources, including Modern Nutrition in Health and Disease, 8th ed., Shils et al., eds.,

Philadelphia: Lea and Febiger (1994), which is hereby incorporated by reference. Essential nutrients are meant to include essential vitamins and provitamins thereof, essential fats, essential minerals, such as those minerals for which daily values have been recommended, and essential amino acids. One example of an essential

5 nutrient preparation is a formulation which contains a vitamin and a caloric content of less than 2.5 cal per dry gram, preferably less than 2 cal per dry gram, most preferably less than 1.8 cal per dry gram. Essential nutrient preparations also include those materials which contain at least one vitamin in an amount greater than 15%, preferably greater than 20%, more preferably greater than 40% of the

10 U.S. adult RDA for that essential nutrient per gram of essential nutrient preparation. Still other suitable essential nutrient preparations contain at least two vitamins, each in an amount greater than 10%, preferably greater than 15%, more preferably greater than 20% of the U.S. adult RDA for that essential nutrient per gram of essential nutrient preparation. Suitable essential nutrient preparations are

15 commonly referred to as dietary supplements, vitamin supplements, and mineral supplements, multiple vitamin supplements, and the like, and are typically available commercially in the form of pills, tablets, capsules, powders, syrups, and suspensions. Preferably, the essential nutrient composition contains at least one essential nutrient in an amount greater than 25%, more preferably greater than

20 50%, and most preferably greater than or equal to 100% of the daily requirement for that essential nutrient per customarily consumed quantity of the essential nutrient preparation.

As indicated above, the nutritional substance can also be a food preparation.

Food preparations are materials which contain one or more amino acid,

25 carbohydrate, or fat, which are suitable for human or animal consumption, and which are not essential nutrient preparations. It is preferred that the food preparation be a two or more component food preparation. For example, a two or more component food preparation can be a mixture of two or more one-component foods. One component foods are foods which are derived substantially from a

30 single natural source. A small percentage of the one-component food can be derived from a second natural source, but that percentage, by weight, is preferably less than 5%, more preferably less than 1 %, more preferably less than 0.1 %. One component foods include, for example, sugar, unsweetened juice, nectar, or

puree from a single species of plant, such as unsweetened apple juice (including a blend of different varieties of apple juice), grapefruit juice, orange juice, apple sauce, apricot nectar, tomato juice, tomato sauce, tomato puree, and the like. Grain plants of a single species and materials produced from grain plants of a single species, such as corn syrup, rye flour, wheat flour, oat bran, and the like are also considered to be one component foods. Alternatively, the two or more component food preparation can be a mixture of one or more one component foods and one or more essential nutrients. Preferably, the amount of at least one of the one or more essential nutrients present in the two component food is greater than the amount of the at least one essential nutrient that is naturally present collectively in the one or more one component foods. For example, where the essential nutrients are vitamin X and vitamin Y and where the one component food is orange juice and where the orange juice naturally contains vitamin X and vitamin Y in amounts "Nx" and "Ny", respectively, it is preferred that the composition contain vitamin X and vitamin Y in amounts "Tx" and "Ty", respectively, so that Tx is greater than Nx, Ty is greater than Ny, or both.

Food preparations particularly well suited to the practice of the present invention include breakfast foods, such as prepared cereals, toaster pastries, and breakfast drink mixes; infant formulas; dietary supplements; complete diet formulas; and weight-loss preparations, such as weight-loss drinks and weight-loss bars.

The food preparation can be one which naturally contains no natural isomer of reduced folate. Alternatively, it can contain a natural molar amount of a natural isomer of reduced folate. For purposes of this application, the molar amount of natural isomer of reduced folate (i.e., collectively, the number of moles of (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl derivatives thereof) contained per gram of food is designated "N". For some foods, the molar amount of natural isomer of reduced folate naturally present is known. For others, the molar amount of natural isomer of reduced folate can be determined by a number of sensitive and specific methods, such as microbial growth dependence, folate binding protein based assays,

high-performance liquid chromatography ("HPLC") and gas chromatography ("GC") . Suitable methods are described, for example, in Cossins, E.A., "Folates in Biological Materials," in Folates and Pterins, Vol. 1, Blakley et al., eds., New York:John Wiley & Sons, pp. 1-60 (1984), which is hereby incorporated by  
5 reference.

The molar amount of natural isomer of reduced folate present in the composition of the present invention is greater than the molar amount of natural isomer of reduced folate present in the food preparation. For purposes of this application, the molar amount of natural isomer of reduced folate (i.e., collectively,  
10 the number of moles of (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl derivatives thereof) contained per gram of composition is designated "T". Thus, T necessarily must be  
15 greater than N. Preferably, T/N is greater than 105%; more preferably, it is greater than 110%; and, most preferably, it is greater than 120%.

As indicated above, the composition can, optionally, include one or more unnatural isomers of reduced folate. When present in the composition, the one or more unnatural isomers of reduced folate is preferably present in a molar amount  
20 which is less than T minus N.

The present invention also relates to a method for increasing the folate content of a nutritional substance. The nutritional substance can be a food preparation, an essential nutrient preparation, or a combination of a food preparation and an essential nutrient preparation. The folate content of the  
25 nutritional substance is increased by incorporating one or more natural isomers of reduced folate into or with the nutritional substance. This can be achieved by methods well known in the art of food and essential nutrient preparation, such as by homegenizing, coating, spraying, coarsely mixing, tossing, kneading, pilling, and extruding one or more unnatural isomer of reduced folate, singly or in combination,  
30 onto or with the nutritional substance.

One or more of the one or more natural isomers of reduced folate that are added to the nutritional substance in accordance with the present invention can be substantially chirally pure or each of the one or more natural isomers of reduced

folate can be chirally pure. Alternatively, one or more of the one or more natural isomers of reduced folate can be present in a mixture with one or more unnatural isomers of reduced folate. The molar amount of the one or more natural isomers of reduced folate and the one or more unnatural isomers of reduced folate present in the mixture added to the nutritional substance can be the same, as in the case where a racemic mixture is added, or they can be different. Preferably the molar amount of the natural isomer exceeds the molar amount of the unnatural isomer. Additionally or alternatively, unnatural isomer of reduced folate can be incorporated in a separate step subsequent to or prior to incorporating the one or more natural isomers of reduced folate into the nutritional substance. It is preferred that the collective molar amount of unnatural isomer of reduced folate added before, during, and/or after the addition of natural isomer of reduced folate be less than the collective molar amount of natural isomer added.

Natural isomers of reduced folates that are substantially chirally pure can be prepared by any suitable method, including, for example, by the method described in U.S. Patent No. 5,350,851 to Bailey et al., which is hereby incorporated by reference.

When the nutritional substance is a food preparation, in addition to incorporating a natural isomer of reduced folate, one or more essential nutrients, optionally, can be incorporated into the food preparation. The essential nutrients can, for example, be added to the food preparation before, during, or after addition of the natural isomer of reduced folate.

The compositions of the present invention can be used to increase a subject's dietary intake of folate by administering the composition to the subject. The subject can be an animal, such as a dog or a cat; alternatively, the subject can be a human. Certain classes of individuals are viewed to be especially benefitted by increasing dietary intake of folate. These include pregnant females; females who have had a miscarriage; females who have carried a fetus having a neural tube defect, a cleft lip defect, or a cleft palate defect; and humans who suffer vascular disease.

The compositions can also be used to treat a subject afflicted with intestinal malabsorption, especially folate malabsorption. When treating a subject afflicted with intestinal malabsorption, the amount of composition administered is preferably



effective to cause an increase in the subject's blood folate level. More preferably, the amount administered is effective to produce blood folate levels in an normal range, as determined by conventional blood-folate analysis methods, such as with the Quanta Phase II assay from BioRad Laboratories, Hercules, California.

- 5           The compositions can be administered enterally, such as orally, intragastrically, or transpylorically. Many factors that may modify the action of the composition can be taken into account by those skilled in the art; e.g., body weight, sex, diet, time of administration, route of administration, rate of excretion, condition of the subject, and reaction sensitivities and severities. Administration  
10 can be carried out continuously or periodically, such as once daily, or once with every meal.

- Compositions containing the natural isomer of reduced folates are preferably for enteral consumption (enteral including oral, intragastric, or transpyloric), and are of any, food preparation, food supplement, essential nutrient preparation, or  
15 vitamin preparation. Typical examples of such food or vitamin preparations are those to which folic acid (I) is currently added for use by either humans or other animals. Natural isomer means a tetrahydrofolate having the natural configuration at both the glutamate  $\alpha$ - and the pteridine 6-carbons. More specifically, these compositions are, but are not limited to, multivitamin (with or without minerals and  
20 other nutrients) preparations (such preparations can be in solid, liquid or suspension forms); breakfast foods such as prepared cereals, breakfast drink mixes, toaster pastries and breakfast bars; infant formulas; dietary supplements and complete diet and weight-loss formulas and bars; animal feed or animal feed supplements (for example, for poultry), and pet foods. The natural isomer of reduced folates can  
25 also be used in products which health officials might in the future deem an appropriate vehicles for satisfaction of the daily folate requirement. The composition of the present invention can include a natural isomer of a tetrahydrofolate, such as II-VIII, preferably the monoglutamate form, in a vitamin formulation preferably containing at least one other vitamin (for example another  
30 vitamin such as a B vitamin) other than ascorbic acid (vitamin C), although ascorbic acid can be an additional component. Such nutrients or vitamins can be those intended for either human or animal use. Other ingredients may also be present, such as fillers, binding agents, stabilizers, sweeteners, including nutritive

sweeteners (e.g. sucrose, sorbitol and other polyols) and non-nutritive sweeteners (e.g. saccharin, aspartame, and acesulfame K), colorants, flavors, buffers, salts, coatings, and the like that are known to those skilled in the art of vitamin formulation.

5 For many applications of the described reduced folates (II through VIII) 5-methyl-(6S)-tetrahydrofolic acid (III), 5-formyl-(6S)-tetrahydrofolic acid (IV), and 5,10-methenyl-(6R)-tetrahydrofolic acid (VII) are preferred. All of the reduced folates are to differing extent subject to oxidation by air. Several factors influence this susceptibility, foremost being derivatization of the 5-nitrogen which  
10 considerably slows oxidation. The 5-methyl- and 5-formyl derivatives are the most abundant forms of folate found in most tissues of the body. The predominate folate in human blood is 5-methyl-(6S)-tetrahydrofolic acid (III).

In using tetrahydrofolates for increasing the folate in a nutritional composition, several factors should be considered. Many nutrients are unstable to  
15 processing, including several of the vitamins. For example, vitamins A, B<sub>1</sub> (thiamin), and ascorbic acid are especially labile under some conditions. Many procedures are known for enhancing the stability of the various nutrients such as pH and moisture control of the composition. Components which are to a degree incompatible with each other, for example ascorbic acid with the more oxidized  
20 forms of iron or copper, can be made to be present heterogeneously in the composition. Nutrients which are unstable to heat are often added after baking steps; for example, vitamins are often sprayed onto breakfast cereals subsequent to toasting. Nutrients which are unstable to air can be packaged in a reduced oxygen condition, and/or in containers that have low or no permeability to oxygen. These  
25 and other procedures known to those skilled in the art are useful for maintaining folates in their natural reduced form.

The rate of oxidation of a reduced folate in the presence of air is increased in water solutions. The shelf life of liquid preparations will be greatly extended if they are preferably kept in air-tight containers. Replacing air with an inert gas  
30 such as nitrogen or argon also retards loss. Reduced folates can also be protected from oxidation by a number of reducing agents and antioxidants, the most relevant of these being other vitamins that are often included in multivitamin mixtures or nutritional compositions. Ascorbic acid has been used for protection of reduced

folates in biochemical experiments and procedures for the laboratory analysis of biological samples. Such protection need not be limited to use of ascorbic acid or other vitamins; other agents suitable for human or animal consumption are useful, for example iso-ascorbic acid and certain thiols, such as glutathione. Further,

5 known packaging and formulation technologies which increase the stability of compounds such as ascorbic acid or other air labile materials (for example, coated forms, blister packaging, and use of reduced metals or metal complexes) are useful for the maintenance of reduced folates. The salt form of a reduced folate also somewhat affects stability and solubility, and this can be optimized for the needs of

10 each product. The pH of the final composition can also be optimized according to the stability properties of the particular reduced folate derivative used and of the other components present, as is well understood in the arts of processing nutrients and of folate compounds. For example, in the presence of moisture 5,10-methenyl-(6R)-FH<sub>4</sub> (VII) can be transformed into 10-formyl-(6R)-FH<sub>4</sub> and 5-formyl-(6S)-FH<sub>4</sub>

15 (IV) (the latter also a preferred compound) in a pH dependent manner. Compositions containing 5,10-methenyl-(6R)-FH<sub>4</sub> (VII) are most stable to oxidation when either substantially dry and/or have an acidity less than about pH 4. With proper attention to the above factors, the lability of reduced folates need not limit the life of a product, especially with III and IV which are more resistant than

20 ascorbic acid to many oxidation reactions.

The substitution of a reduced folate for folic acid (I) should take into account the differences in molecular weights of the various forms. For example, the current U.S. Reference Daily Intake of 0.4 mg of folic acid (I) corresponds to 0.91 micromole using an anhydrous molecular weight of 441.4. The effective

25 molecular weight of reduced folates depends upon the derivative employed (i.e. II - VIII), the salt form, and water content. For example, 0.91 micromole of 5-formyl-(6S)-tetrahydrofolic acid (IV) calcium salt-pentahydrate would weigh 0.545 mg, and 0.91 micromole of 5-methyl-(6S)-tetrahydrofolic acid (III) disodium salt would weigh 0.456 mg. Several salt forms of the reduced folates are described in the

30 literature, such as hydrochloride, sodium, potassium, magnesium, calcium, and others and having various water content. For each of these forms a similar calculation can be made. The amount required to achieve the mole equivalent to a desired fraction of the RDI would then be that fraction of this new weight. As an

example, 25% RDI of 5-methyl-(6S)-tetrahydrofolic acid (III) disodium salt would be  $0.25 \times 0.456 = 0.114$  mg, the mole equivalent of 0.10 mg of folic acid (I). Previous investigations of groups of individuals having a *normal* uptake of folic acid (I) have shown that the bioavailability of the reduced folates is similar on a

5 mole basis.

As mentioned above, loss of nutrients during processing, especially of foods is well known to those skilled in this art. An often practiced procedure is the addition of an initial excess, an "overage", of a particular nutrient or nutrients, such that the final post-processing amount is at the desired level. Many highly sensitive

10 and specific methods are known (such as microbial growth dependence, folate binding protein based assays, HPLC and GC) for the analysis of folates, in both the reduced and oxidized forms as well as for their various derivatives. These assays permit adjustment of the added amount of the natural isomer of a reduced folate so as to yield the desired final amount subsequent to processing and packaging. The

15 range of the natural isomer of a reduced folate in the composition of this invention is preferably that fulfilling between about 5% and about 200% of the RDI of humans for folate, and should be taken to encompass both the situation where allowance is made for processing loss, and also where no such allowance is made. Separate RDA dosages are specified for different groups of people, for example

20 pregnant and non-pregnant women. Further, the RDI level although relying on RDA values, can be different from RDA values. The above range of "between about 5% and about 200% of the RDI for folate" should be taken to operate independently on each of these separate RDA and RDI specifications, or their foreign equivalents, as presently stated or as modified in the future. For the

25 purpose of this invention these several specifications shall be referred to as the daily requirement for folate. Unless the recommended dietary allowance for folate in humans is increased, the maximum final amount of the natural isomer of a reduced folate in composition for human use in satisfying the daily requirement for folate preferably should not exceed about 4.5 micromole per dose or customarily

30 consumed serving. However, for individuals afflicted with intestinal malabsorption, such as celiac disease or tropical sprue, compositions containing higher amounts of the natural isomer of a reduced folate will be useful.

For the purpose of this invention an essential nutrient composition can be a dietary supplement or the like, the substantial folate component of which is derived from substantially pure tetrahydrofolic acid or derivative thereof, such as compounds II through VIII. Essential nutrient compositions encompassed by this invention comprise the natural isomer of a reduced folate preferably within the above described range along with other vitamins and/or other nutrients which are preferably each present in an amount that is considered to be safe. In formulating compositions for animal consumption manufacturers often considerably exceed the dosage recommended by the NRC for folate (by 10-fold, 20-fold, or more in some cases), not only to overcome losses during processing, but also to cover occasions of possible increased need for folate, such as during antibiotic treatment. Other vitamin and nutrient components can be present in amounts that vary considerably from NRC recommendations. The following examples are given to further illustrate the invention, and are not intended to limit its scope in any way.

#### 15 Examples

1) A typical ready to eat breakfast cereal: corn (and/or other grains), sugar, salt, malt flavoring, such that a 30 g serving provides about 2 g of protein, 26 g total carbohydrate, and 330 mg of sodium, also containing per serving size vitamin A palmitate (15% of RDI), ascorbic acid (25% of RDI), reduced iron (45% of RDI), vitamin D (10% of RDI), thiamin hydrochloride (25% of RDI), riboflavin (25% of RDI), niacinamide (25% of RDI), pyridoxine hydrochloride (25% of RDI), and 0.114 mg of 5-methyl-6(S)-tetrahydrofolic acid (III) disodium salt (the mole equivalent of 0.1 mg folic acid, 25% of RDI).

2) A typical daily multivitamin tablet: calcium carbonate, ascorbic acid (60 mg, 100% RDI), gelatin, vitamin E acetate (30 I.U., 100% RDI), starch, niacinamide (20 mg, 100% RDI), hydroxypropyl-methylcellulose, calcium pantothenate (10 mg, 100% RDI), calcium silicate, hydroxypropylcellulose, pyridoxine hydrochloride (2 mg, 100% RDI), riboflavin (1.7 mg, 100% RDI), thiamin mononitrate (1.5 mg, 100% RDI), beta carotene & vitamin A acetate (5000 I.U., 100% RDI), sodium hexametaphosphate, magnesium stearate, vitamin D (400 I.U., 100% RDI), vitamin B<sub>12</sub> (6 µg, 100% RDI), lecithin, and 0.437 mg of 5-

methyl-6(S)-tetrahydrofolic acid (III) magnesium salt (the mole equivalent of 0.4 mg folic acid, 100% of RDI).

- 3) A typical daily multivitamin and minerals tablet: calcium phosphate (130 mg of elemental calcium), magnesium hydroxide & stearate (100 mg, 25% RDI),  
 5 cellulose, potassium chloride, ascorbic acid (60 mg, 100% RDI), gelatin, ferrous fumarate (18 mg elemental iron, 100% RDI), zinc sulfate (15 mg, 100% RDI), modified cellulose gum, vitamin E acetate (30 I.U., 100% RDI), citric acid, niacinamide (20 mg, 100% RDI), magnesium stearate, hydroxypropyl-methylcellulose, calcium pantothenate (10 mg, 100% RDI), selenium yeast,  
 10 polyvinylpyrrolidone, hydroxypropylcellulose, manganese sulfate, silica, copper oxide (2 mg, 100% RDI), chromium yeast, molybdenum yeast, pyridoxine hydrochloride (2 mg, 100% RDI), riboflavin (1.7 mg, 100% RDI), thiamin mononitrate (1.5 mg, 100% RDI), beta carotene & vitamin A acetate (5000 I.U., 100% RDI), potassium iodide (150 µg, 100% RDI), sodium hexametaphosphate,  
 15 biotin (30 µg, 10 % RDI), vitamin D (400 I.U., 100% RDI), vitamin B<sub>12</sub> (6 µg, 100% RDI), lecithin, and 0.545 mg 5-formyl-(6S)-tetrahydrofolic acid (IV) calcium salt-pentahydrate (the mole equivalent of 0.4 mg of folic acid, 100% RDI).

- 4) A typical daily multivitamin and minerals tablet for older adults: calcium carbonate, calcium phosphate (200 mg Ca, 20% RDI; 48 mg phosphorous, 5%  
 20 RDI), magnesium oxide, magnesium stearate (100 mg, 25% RDI), potassium chloride (80 mg, 2% RDI), microcrystalline cellulose, ascorbic acid (60 mg, 100 % RDI), gelatin, d l-alfa-tocopheryl acetate (45 I.U., 150% RDI), modified food starch, maltodextrin, crospovidone, reduced iron (4 mg, 22 RDI), hydroxypropyl methylcellulose, niacinamide (20 mg, 100% RDI), zinc oxide (15 mg, 100% RDI),  
 25 calcium pantothenate, manganese sulfate (3.5 mg), vitamin D (400 I.U., 100% RDI), titanium dioxide, vitamin A and β-carotene (5000 I.U., 100% RDI), stearic acid, pyridoxine hydrochloride (3 mg, 150% RDI), riboflavin (1.7 mg, 100% RDI), silicon dioxide, copper oxide (2 mg, 100% RDI), dextrose, thiamin mononitrate (1.5 mg, 100% RDI), triethyl citrate, polysorbate 80, chromium chloride (130  
 30 µg),, artificial colors, potassium iodide ( 150 µg, 100% RDI), sodium metasilicate (2 mg), sodium molybdate (160 µg), borates, sodium selenate (20 µg), biotin (30

µg, 10 % RDI), sodium metavanadate (10 µg), cyanocobalamin (25 µg, 417% RDI), nickelous sulfate (5 µg), and phytonadione, and 5,10-methenyl-(6R)-tetrahydrofolic acid hydrochloride (VII)(0.44 mg, the mole equivalent of 0.4 mg of folic acid, 100% RDI).

- 5) A typical complete diet drink: water, sugar, calcium and sodium caseinates, maltodextrin, high-oleic safflower oil, soy protein, soy oil, canola oil, cocoa, sodium and potassium citrates, calcium carbonate and phosphate (250 mg Ca, 25% RDI), magnesium chloride and phosphate (100 mg Mg, 25% RDI), sodium chloride, soy lecithin, choline chloride, flavor, ascorbic acid (30 mg, 50% RDI), carrageenan, zinc sulfate (5.6 mg, 37% RDI), ferrous sulfate (4.5 mg Fe, 25% RDI), alfa-tocopheryl acetate (11.3 I.U., 37.7% RDI), niacinamide (5 mg, 25% RDI), calcium pantothenate (2.5 mg, 25% RDI), manganese sulfate (1.3 mg), copper salt (25% RDI), vitamin A palmitate (1250 I.U., 25% RDI), thiamin hydrochloride (0.375 mg, 25% RDI), pyridoxine hydrochloride (0.5 mg, 25% RDI), riboflavin (0.425 mg, 25% RDI), biotin (75 µg, 25% RDI), sodium molybdate (38 µg), chromium chloride (25 µg), potassium iodide (37.5 µg, 25. % RDI), sodium selenate (18 µg), phylloquinone (vitamin K<sub>1</sub>), cyanocobalamin (1.5 µg, 25% RDI), vitamin D<sub>3</sub> (100 I.U., 25 % RDI), and 0.136 mg 5-formyl-(6S)-tetrahydrofolic acid (IV) calcium salt-pentahydrate (the mole equivalent of 0.1 mg of folic acid, 25% RDI), packaged in an air-tight container, and supplying about 225 calories.

- 6) A typical enhanced B-vitamin/tetrahydrofolate tablet: dibasic calcium phosphate, pyridoxine hydrochloride (50 mg, 2,500% RDI), cellulose, stearic acid, magnesium stearate, and 0.912 mg of 5-methyl-6(S)-tetrahydrofolic acid (III) disodium salt (the mole equivalent of 0.8 mg folic acid, 200% of RDI for adults, 100% RDA for pregnant women).

- 7) A typical poultry feed vitamin supplement: (amounts per kg of diet) vitamin A (trans retinyl acetate, 5500 I.U.), vitamin E (11 I.U.), menadione sodium bisulfite (1.1mg), vitamin D<sub>3</sub> (1100 I.U.), riboflavin (4.4 mg), vitamin B<sub>12</sub> (10 µg), vitamin B<sub>6</sub> (3.0 mg), thiamin mononitrate (2.2 mg), biotin (0.3 mg), ethoxyquin

(125 mg), and 2.0 mg 5-formyl-(6S)-tetrahydrofolic acid (IV) calcium salt-pentahydrate (the mole equivalent of 1.45 mg of folic acid).

- 8) A typical dry cat food: ground yellow corn, corn gluten meal, soybean meal, poultry by-product meal, animal fat, fish meal, meat and bone meal, ground  
5 wheat, phosphoric acid calcium carbonate, dried animal digest, salt, brewers dried yeast, potassium chloride, dried whey solubles, choline chloride, dried skimmed milk, taurine, L-lysine, zinc oxide, ferrous sulfate, niacin, vitamin A, vitamin D<sub>3</sub>, vitamin B<sub>12</sub>, calcium pantothenate, citric acid, manganese sulfate, riboflavin supplement, biotin, copper salt, thiamine mononitrate, pyridoxine hydrochloride,  
10 menadione sodium bisulfate complex, such that the crude protein is not less than 31%, crude fat is not less than 8%, crude fiber is not more than 4.5%, moisture is not more than 12%, calcium is not less than 1.2%, phosphorous is not less than 1.0%, sodium chloride is not more than 1.5%, the metabolizable energy is about 3,600 kcal/kg, taurine, iron, vitamins A, D<sub>3</sub>, B<sub>12</sub>, and E are at least 100% of levels  
15 recommended by the Association of American Feed Control Officials, and containing not less than 0.97 mg/kg diet 5-methyl-6(S)-tetrahydrofolic acid (III) calcium salt dihydrate (the mole equivalent of 0.8 mg/kg diet of folic acid).
- 9) A typical soy based infant formula: 75.5% water; 13% sucrose; 6.6% oleo oil: coconut, high oleic (safflower or sunflower), and soybean oils; 3.8% soy  
20 protein isolate; (protein 2.7 g, fat 5.3 g, carbohydrate 10.2, linoleic acid 500 mg); potassium citrate and bicarbonate (potassium 105 mg); monobasic potassium and dibasic calcium phosphates (phosphorous 63 mg); soy lecithin; taurine; calcium carrageenan; calcium hydroxide, chloride and citrate (calcium 90 mg); sodium chloride (sodium 30 mg); L-methionine; zinc (Zn 0.8 mg), ferrous (Fe 1.8 mg), and  
25 manganese (Mn 30 µg) sulfates; copper salt (Cu 70 µg); taurine; L-carnitine; potassium iodide (I 9 µg); ascorbic acid (8.3 mg); choline chloride; alpha-tocopheryl acetate (1.4 I.U.); niacinamide (750 µg); vitamin A palmitate and beta-carotene (300 I.U.); calcium pantothenate (450 µg); thiamin hydrochloride (100 µg); riboflavin (150 µg); pyridoxine hydrochloride (62.5 µg); vitamin K<sub>1</sub> (15 µg);  
30 biotin (5.5 µg); vitamin D<sub>3</sub> (60 I.U.); cyanocobalamin (0.3 µg); and 9.1 µg of 5-methyl-6(S)-tetrahydrofolic acid (III) calcium salt dihydrate (the mole equivalent of



7.5  $\mu\text{g}$  of folic acid), packaged in an air-tight container (amounts are per 150 ml of 1:1 diluted formula).

- One skilled in the art will readily appreciate that the present invention is well adapted to carry out the objects and obtain the ends and advantages
- 5 mentioned. While the above description contains many specificities, these should not be construed as limitations on the scope of the invention, but rather as an exemplification of preferred embodiments thereof. Changes therein and other uses will occur to those skilled in the art which are encompassed within the spirit of the invention as defined by the scope of the claims and their legal equivalents.

- 24 -

1. A composition for human consumption comprising:  
one or more natural isomers of reduced folate  
selected from the group consisting of (6S)-tetrahydrofolic  
acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-  
tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid,  
5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-  
tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid,  
and polyglutamyl derivatives thereof;

a nutritional substance for human consumption  
selected from the group consisting of a food preparation, an  
essential nutrient preparation, and combinations thereof;

wherein, when the nutritional substance is a food  
preparation, the food preparation comprises two or more food  
components and each gram of said food preparation has a  
natural molar amount, N, of said one or more natural isomers  
of reduced folate, wherein N is greater or equal to zero and  
wherein each gram of said composition has a total molar  
amount, T, of said one or more natural isomers of reduced  
folate greater than N; and

wherein, when the nutritional substance is an  
essential nutrient preparation, the essential nutrient  
preparation comprises a vitamin other than ascorbic acid.

2. A composition according to claim 1, wherein the one  
or more natural isomers of reduced folate is selected from the  
group consisting of 5-methyl-(6S)-tetrahydrofolic acid, 5-  
formyl-(6S)-tetrahydrofolic acid, 5,10-methenyl-(6R)-  
tetrahydrofolic acid, and polyglutamyl derivatives thereof.

3. A composition according to claim 1, wherein the  
total molar amount of said one or more natural isomers of  
reduced folate is between 5% and 200% of a human daily  
requirement for folate per customarily consumed quantity of  
said composition.

4. Cancelled.

5. A composition according to claim 1, wherein said  
nutritional substance is a food preparation.

6. The composition according to claim 5, wherein the  
nutritional substance is a food preparation and wherein each

AMENDED SHEET

IPE 21 1998

- 25 -

gram of said food preparation further comprises no unnatural isomers of reduced folate selected from the group consisting of (6R)-tetrahydrofolic acid, 5-methyl-(6R)-tetrahydrofolic acid, 5-formyl-(6R)-tetrahydrofolic acid, 10-formyl-(6S)-tetrahydrofolic acid, 5,10-methylene-(6S)-tetrahydrofolic acid, 5,10-methenyl-(6S)-tetrahydrofolic acid, 5-formimino-(6R)-tetrahydrofolic acid, and polyglutamyl derivatives thereof, or one or more of said unnatural isomers of reduced folate in a molar amount less than T minus N.

7. A composition according to claim 5, wherein the food preparation is selected from the group consisting of breakfast foods, infant formulas, dietary supplements, complete diet formulas, and weight-loss preparations.

8. A composition according to claim 7, wherein the breakfast food is a prepared cereal, a breakfast drink mix, or a toaster pastry, and wherein the weight-loss preparations is a weight-loss drink or a weight-loss bar.

9. A composition according to claim 1, wherein the nutritional substance is an essential nutrient preparation comprising a vitamin other than ascorbic acid.

10. A composition according to claim 9, wherein the essential nutrient preparation further comprises ascorbic acid.

11. A composition according to claim 9, wherein the vitamin is present in an amount equal to or greater than 25% of the daily requirement for the vitamin per customarily consumed quantity of said essential nutrient preparation.

12. A method for increasing the folate content of a nutritional substance for human consumption comprising:

providing a nutritional substance for human consumption selected from the group consisting of a food preparation, an essential nutrient preparation, and combinations thereof; and

incorporating into the nutritional substance a molar amount of one or more natural isomers of reduced folate selected from the group consisting of (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-

IPEAUS 27 MAR 1998

- 26 -

tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl derivatives thereof;

wherein, when the nutritional substance is a food preparation, the food preparation comprises two or more food components and each gram of said food preparation has a natural molar amount, N, of said one or more natural isomers of reduced folate, wherein N is greater or equal to zero and wherein each gram of said composition has a total molar amount, T, of said one or more natural isomers of reduced folate greater than N; and

wherein, when the nutritional substance is an essential nutrient preparation, the essential nutrient preparation comprises a vitamin other than ascorbic acid.

13. A method according to claim 12 further comprising:

incorporating into the nutritional substance a molar amount of one or more unnatural isomers of reduced folate selected from the group consisting of (6R)-tetrahydrofolic acid, 5-methyl-(6R)-tetrahydrofolic acid, 5-formyl-(6R)-tetrahydrofolic acid, 10-formyl-(6S)-tetrahydrofolic acid, 5,10-methylene-(6S)-tetrahydrofolic acid, 5,10-methenyl-(6S)-tetrahydrofolic acid, 5-formimino-(6R)-tetrahydrofolic acid, and polyglutamyl derivatives thereof, wherein the molar amount of the one or more unnatural isomers of reduced folate is less than the molar amount of the one or more natural isomers of reduced folate.

14. A method according to claim 12, wherein each of the one or more natural isomers of reduced folate is substantially chirally pure.

15. A method according to claim 12, wherein the one or more natural isomers of reduced folate is selected from the group consisting of 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, and polyglutamyl derivatives thereof.

16. A method according to claim 12, wherein the nutritional substance is an essential nutrient preparation comprising a vitamin other than ascorbic acid.

17. A method according to claim 16, wherein the essential nutrient preparation further comprises ascorbic acid.

18. A method according to claim 12, wherein the nutritional substance is a food preparation and wherein said method further comprises:

incorporating a vitamin into the food preparation.

19. A method for increasing a human subject's dietary intake of folate comprising:

administering a composition according to claim 1 to the human subject.

20. A method according to claim 19, wherein said administering is carried out by enteral administration.

21.. Canceled.

22. Canceled.

23. Canceled.

24. A method according to claim 19, wherein the total molar amount of said one or more natural isomers of reduced folate is between 5% and 200% of the human's daily requirement for folate per customarily consumed quantity of said composition.

25. A method according to claim 19, wherein the human is selected from the group consisting of a pregnant female; a female who has had a miscarriage; a female who has carried a fetus having a neural tube defect, a cleft lip defect, or a cleft palate defect; and a human who suffers vascular disease.

26. A method for treating a human subject afflicted with intestinal malabsorption comprising:

administering to the human subject an amount of a composition according to claim 1 effective to increase the human subject's blood folate level.

27. A composition for consumption by an animal other than a pig comprising:

one or more natural isomers of reduced folate selected from the group consisting of (6S)-tetrahydrofolic

acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl derivatives thereof;

a nutritional substance for consumption by an animal other than a pig selected from the group consisting of a food preparation, an essential nutrient preparation, and combinations thereof;

wherein, when the nutritional substance is a food preparation, the food preparation comprises two or more food components and each gram of said food preparation has a natural molar amount, N, of said one or more natural isomers of reduced folate, wherein N is greater or equal to zero and wherein each gram of said composition has a total molar amount, T, of said one or more natural isomers of reduced folate greater than N; and

wherein, when the nutritional substance is an essential nutrient preparation, the essential nutrient preparation comprises a vitamin other than ascorbic acid.

28. A composition according to claim 27, wherein the one or more natural isomers of reduced folate is selected from the group consisting of 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, and polyglutamyl derivatives thereof.

29. A composition according to claim 27, wherein the total molar amount of said one or more natural isomers of reduced folate is between 5% and 3000% of an animal daily requirement for folate per customarily consumed quantity of said composition.

30. A composition according to claim 27, wherein said nutritional substance is a food preparation.

31. The composition according to claim 30, wherein the nutritional substance is a food preparation and wherein each gram of said food preparation further comprises no unnatural isomers of reduced folate selected from the group consisting of (6R)-tetrahydrofolic acid, 5-methyl-(6R)-tetrahydrofolic

acid, 5-formyl-(6R)-tetrahydrofolic acid, 10-formyl-(6S)-tetrahydrofolic acid, 5,10-methylene-(6S)-tetrahydrofolic acid, 5,10-methenyl-(6S)-tetrahydrofolic acid, 5-formimino-(6R)-tetrahydrofolic acid, and polyglutamyl derivatives thereof, or one or more of said unnatural isomers of reduced folate in a molar amount less than T minus N.

32. A composition according to claim 27, wherein the nutritional substance is an essential nutrient preparation comprising a vitamin other than ascorbic acid.

33. A composition according to claim 32, wherein the essential nutrient preparation further comprises ascorbic acid.

34. A composition according to claim 32, wherein the vitamin is present in an amount equal to or greater than 25% of the daily requirement for the vitamin per customarily consumed quantity of said essential nutrient preparation.

35. A method for increasing the folate content of a nutritional substance for consumption by an animal other than a pig comprising:

providing a nutritional substance for consumption by an animal other than a pig selected from the group consisting of a food preparation, an essential nutrient preparation, and combinations thereof; and

incorporating into the nutritional substance a molar amount of one or more natural isomers of reduced folate selected from the group consisting of (6S)-tetrahydrofolic acid, 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 10-formyl-(6R)-tetrahydrofolic acid, 5,10-methylene-(6R)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, 5-formimino-(6S)-tetrahydrofolic acid, and polyglutamyl derivatives thereof;

wherein, when the nutritional substance is a food preparation, the food preparation comprises two or more food components and each gram of said food preparation has a natural molar amount, N, of said one or more natural isomers of reduced folate, wherein N is greater or equal to zero and wherein each gram of said composition has a total molar

amount, T, of said one or more natural isomers of reduced folate greater than N; and

wherein, when the nutritional substance is an essential nutrient preparation, the essential nutrient preparation comprises a vitamin other than ascorbic acid.

36. A method according to claim 35 further comprising:

incorporating into the nutritional substance a molar amount of one or more unnatural isomers of reduced folate selected from the group consisting of (6R)-tetrahydrofolic acid, 5-methyl-(6R)-tetrahydrofolic acid, 5-formyl-(6R)-tetrahydrofolic acid, 10-formyl-(6S)-tetrahydrofolic acid, 5,10-methylene-(6S)-tetrahydrofolic acid, 5,10-methenyl-(6S)-tetrahydrofolic acid, 5-formimino-(6R)-tetrahydrofolic acid, and polyglutamyl derivatives thereof, wherein the molar amount of the one or more unnatural isomers of reduced folate is less than the molar amount of the one or more natural isomers of reduced folate.

37. A method according to claim 35, wherein each of the one or more natural isomers of reduced folate is substantially chirally pure.

38. A method according to claim 35, wherein the one or more natural isomers of reduced folate is selected from the group consisting of 5-methyl-(6S)-tetrahydrofolic acid, 5-formyl-(6S)-tetrahydrofolic acid, 5,10-methenyl-(6R)-tetrahydrofolic acid, and polyglutamyl derivatives thereof.

39. A method according to claim 35, wherein the nutritional substance is an essential nutrient preparation comprising a vitamin other than ascorbic acid.

40. A method according to claim 39, wherein the essential nutrient preparation further comprises ascorbic acid.

41. A method according to claim 35, wherein the nutritional substance is a food preparation and wherein said method further comprises:

incorporating a vitamin into the food preparation.

42. A method for increasing a subject's dietary intake of folate, wherein the subject is an animal other than a pig, comprising:



- 31 -

administering a composition according to claim 27 to the animal subject.

43. A method according to claim 42, wherein said administering is carried out by enteral administration.

44. A method according to claim 42, wherein the total molar amount of said one or more natural isomers of reduced folate is between 5% and 3000% of the animal's daily requirement for folate per customarily consumed quantity of said composition.

AMENDED SHEET

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY  
STATUS (37 CFR 1.9(f) AND 1.27 (d)) - NONPROFIT ORGANIZATION**

Docket No.  
87647.98R199

Serial No.  
Not Yet Known

Filing Date  
Herewith

Patent No.

Issue Date

Applicant/

Patentee: **Bailey et al.**

Invention: **FOOD AND VITAMIN PREPARATIONS CONTAINING THE NATURAL ISOMER OF  
REDUCED FOLATES (U.S. National Stage of PCT/US97/01870, filed January 31, 1997)**

I hereby declare that I am an official empowered to act on behalf of the nonprofit organization identified below:

NAME OF ORGANIZATION: **South Alabama Medical Science Foundation**

ADDRESS OF ORGANIZATION: **P.O. Box U-1060**
**Mobile, AL 36688**
**TYPE OF NONPROFIT ORGANIZATION:**

- ☐ University or other Institute of Higher Education
- ☒ Tax Exempt under Internal Revenue Service Code (26 U.S.C. 501(a) and 501(c)(3))
- ☐ Nonprofit Scientific or Educational under Statute of State of The United States of America  
Name of State: Citation of Statute:
- ☐ Would Qualify as Tax Exempt under Internal Revenue Service Code (26 U.S.C. 501(a) and 501(c)(3)) if Located in The United States of America
- ☐ Would Qualify as Nonprofit Scientific or Educational under Statute of State of The United States of America if Located in The United States of America  
Name of State: Citation of Statute:

I hereby declare that the above-identified nonprofit organization qualifies as a nonprofit organization as defined in 37 C.F.R. 1.9(e) for purposes of paying reduced fees to the United States Patent and Trademark Office regarding the invention described in:

- ☐ the specification to be filed herewith.
- ☒ the application identified above.
- ☐ the patent identified above.

I hereby declare that rights under contract or law have been conveyed to and remain with the nonprofit organization with regard to the above identified invention.

If the rights held by the above-identified nonprofit organization are not exclusive, each individual, concern or organization having rights to the invention is listed on the next page and no rights to the invention are held by any person, other than the inventor, who could not qualify as an independent inventor under 37 CFR 1.9(c) or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

- ☒ no such person, concern or organization exists.  
☐ each such person, concern or organization is listed below.

FULL NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

FULL NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

FULL NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

FULL NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING: Garold G. Breit

TITLE IN ORGANIZATION: Director

ADDRESS OF PERSON SIGNING: South Alabama Medical Science Foundation

P.O. Box U-1060

Mobile, Alabama 36688

SIGNATURE: \_\_\_\_\_

DATE: \_\_\_\_\_

Please type a plus sign (+) inside this box → ☐

PTO/SB/01 (12/97)  
Approved for use through 9/30/00. OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains

<b>DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION (37 CFR 1.63)</b>  <input checked="" type="checkbox"/> Declaration Submitted with Initial Filing      OR <input type="checkbox"/> Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16(e)))	<b>Attorney Docket Number</b>	87647.98R199
	<b>First Named Inventor</b>	Bailey
	<b>COMPLETE IF KNOWN</b>	
	<b>Application Number</b>	/
	<b>Filing Date</b>	
	<b>Group Art Unit</b>	
	<b>Examiner Name</b>	

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

**FOOD AND VITAMIN PREPARATIONS CONTAINING THE NATURAL ISOMER  
OF REDUCED FOLATES**

the specification of which

(Title of the Invention)

☐ is attached hereto

OR

☒ was filed on (MM/DD/YYYY)

01/31/1997

as United States Application Number or PCT International

Application Number

PCT/US97/01870

and was amended on (MM/DD/YYYY)

03/27/1998

(if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above:

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application		Foreign Filing Date	Priority	Certified Copy Attached?	
				YES	NO
none			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YYYY)	<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.
60/010,898	01/31/1996	

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box → ☐

PTO/SB/01 (12/97)  
Approved for use through 9/30/00. OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains

## DECLARATION ---- Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)
PCT/US97/01870	01/31/1997	

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transmit all business in the Patent and Trademark Office connected therewith.

☐ Customer Number

Place Customer  
Number Bar Code  
Label here

OR  
☒

Registered practitioner(s) name/registration number listed below

Name	Registration Number	Name	Registration Number
Susan J. Braman	34,103		

☐ Additional registered practitioner(s) named on supplemental Registered Practitioner information sheet PTO/SB/02C attached hereto.

Direct all correspondence ☐ Customer Number or Bar  OR ☒ Correspondence address below

Name	Susan J. Braman				
Address	Jaeckle Fleischmann & Muegel, LLP				
Address	39 State Street				
City	Rochester	State	NY	ZIP	14614-1310
Country	US	Telephone	716-262-3640	Fax	716-262-4133

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor:		<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])		Family Name or Surname			
Steven W.		Bailey			
Inventor's	Steven W. Bailey			Date	28 July 98
Residence: City	Mobile AL	State	AL	Country	US
Post Office Address	Pharmacology Department, 3130 MSB; College of Medicine				
Post Office Address	University of South Alabama				
City	Mobile	State	AL	ZIP	36688
				Country	US
<input checked="" type="checkbox"/> Additional inventors are being named on the 1 supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached					

Please type a plus sign (+) inside this box → ☐

PTO/SB/02A (12/97)  
 Approved for use through 9/30/98. OMB 0651-0032  
 Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE  
 Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains


## DECLARATION

**ADDITIONAL INVENTOR(S)**  
**Supplemental Sheet**  
 Page 1 of 1

<b>Name of Additional Joint Inventor, if any:</b>				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
June E.				Ayling			
Inventor's	June E. - Ayling					Date	July 27 1998
Residence: City	Mobile	AL	State	AL	Country	US	Citizenship
Post Office Address		Pharmacology Department, 3130 MSB; College of Medicine					
Post Office Address		University of South Alabama					
City	Mobile	State	AL	ZIP	36688	Country	US
<b>Name of Additional Joint Inventor, if any:</b>				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
Inventor's						Date	
Residence: City		State		Country		Citizenship	
Post Office Address							
Post Office Address							
City		State		ZIP		Country	
<b>Name of Additional Joint Inventor, if any:</b>				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
Inventor's Signature						Date	
Residence: City		State		Country		Citizenship	
Post Office Address							
Post Office Address							
City		State		ZIP		Country	

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

United States Patent & Trademark Office  
Office of Initial Patent Examination -- Scanning Division



Application deficiencies were found during scanning:

☐ Page(s) \_\_\_\_\_ of Drawings(s) were not present  
for scanning. (Document title)

☐ Page(s) \_\_\_\_\_ of \_\_\_\_\_ were not present  
for scanning. (Document title)

☐ Scanned copy is best available.